

Shared Decision Making References

- Alston MJ, Scaparotti AC, Krull MB, Mazzoni SE. Adherence to management recommendations in patients diagnosed with cervical intraepithelial neoplasia 2 or 3. *J Low Genit Tract Dis*. 2016;20(1):44-46.
- Baser E, Togrul C, Ozgu E, Esercan A, Caglar M, Gungor T. Effect of pre-procedural state-trait anxiety on pain perception and discomfort in women undergoing colposcopy for cervical cytological abnormalities. *Asian Pac J Cancer Prev*. 2013;14(7):4053-4056.
- Benard VB, Lawson HW, Ehemann CR, Anderson C, Helsel W. Adherence to guidelines for follow-up of low-grade cytologic abnormalities among medically underserved women. *Obstet Gynecol*. 2005;105(6):1323-1328.
- Chan YM, Lee PW, Ng TY, Ngan HY. Could precolposcopy information and counseling reduce women's anxiety and improve knowledge and compliance to follow-up? *Gynecol Oncol*. 2004;95(2):341-346.
- Chase DM, Osann K, Sepina N, Wenzel L, Tewari KS. The challenge of follow-up in a low-income colposcopy clinic: characteristics associated with noncompliance in high-risk populations. *J Low Genit Tract Dis*. 2012;16(4):345-351.
- Chih HJ, Lee AH, Colville L, Binns CW, Xu D. A review of dietary prevention of human papillomavirus-related infection of the cervix and cervical intraepithelial neoplasia. *Nutr Cancer*. 2013;65(3):317-328.
- Cotton SC, Sharp L, Little J, et al. A normal colposcopy examination fails to provide psychological reassurance for women who have had low-grade abnormal cervical cytology. *Cytopathology*. 2015;26(3):178-187.
- Cruickshank ME, Cotton SC, Sharp L, et al. Management of women with low grade cytology: how reassuring is a normal colposcopy examination? *BJOG*. 2015;122(3):380-386.
- Daley EM, Perrin KM, Mcdermott RJ, et al. The psychosocial burden of HPV: a mixed-method study of knowledge, attitudes and behaviors among HPV+ women. *J Health Psychol*. 2010;15(2):279-290.
- De bie RP, Massuger LF, Lenselink CH, Derksen YH, Prins JB, Bekkers RL. The role of individually targeted information to reduce anxiety before colposcopy: a randomised controlled trial. *BJOG*. 2011;118(8):945-950.
- Dunn S, Rossiter L, Ferne J, Barnes E, Wu W. Improved adherence to colposcopy through nurse-led telephone counselling and multifaceted patient support. *J Obstet Gynaecol Can*. 2013;35(8):723-729.
- Erickson BK, Alvarez RD, Huh WK. Human papillomavirus: what every provider should know. *Am J Obstet Gynecol*. 2013;208(3):169-175.
- Fallowfield L, Jenkins V, Farewell V, Saul J, Duffy A, Eves R. Efficacy of a Cancer Research UK communication skills training model for oncologists: a randomised controlled trial. *Lancet*. 2002;359(9307):650-656.
- Fehr MK, Baumann M, Mueller M, et al. Disease progression and recurrence in women treated for vulvovaginal intraepithelial neoplasia. *J Gynecol Oncol*. 2013;24(3):236-241.

- Fried TR. Shared decision making--finding the sweet spot. *N Engl J Med*. 2016;374(2):104-106.
- Gajjar K, Martin-hirsch PP, Bryant A, Owens GL. Pain relief for women with cervical intraepithelial neoplasia undergoing colposcopy treatment. *Cochrane Database Syst Rev*. 2016;7:CD006120.
- Galaal K, Bryant A, Deane KH, Al-khaduri M, Lopes AD. Interventions for reducing anxiety in women undergoing colposcopy. *Cochrane Database Syst Rev*. 2011;(12):CD006013.
- Garolla A, Pizzol D, Vasoin F, Barzon L, Bertoldo A, Foresta C. Counseling reduces HPV persistence in coinfecting couples. *J Sex Med*. 2014;11(1):127-135.
- Goldie SJ, Kohli M, Grima D, et al. Projected clinical benefits and cost-effectiveness of a human papillomavirus 16/18 vaccine. *J Natl Cancer Inst*. 2004;96(8):604-615.
- Heinonen A, Tapper AM, Leminen A, Sintonen H, Roine RP. Health-related quality of life and perception of anxiety in women with abnormal cervical cytology referred for colposcopy: an observational study. *Eur J Obstet Gynecol Reprod Biol*. 2013;169(2):387-391.
- Hellsten C, Lindqvist PG, Sjöström K. A longitudinal study of sexual functioning in women referred for colposcopy: a 2-year follow up. *BJOG*. 2008;115(2):205-211.
- Hellsten C, Sjöström K, Lindqvist PG. A longitudinal 2-year follow-up of quality of life in women referred for colposcopy after an abnormal cervical smear. *Eur J Obstet Gynecol Reprod Biol*. 2009;147(2):221-225.
- Hellsten C, Sjöström K, Lindqvist PG. A 2-year follow-up study of anxiety and depression in women referred for colposcopy after an abnormal cervical smear. *BJOG*. 2008;115(2):212-218.
- Hellsten C, Sjöström K, Lindqvist PG. A prospective Swedish cohort study on psychosocial factors influencing anxiety in women referred for colposcopy. *BJOG*. 2007;114(1):32-38.
- Ho GY, Einstein MH, Romney SL, et al. Risk factors for persistent cervical intraepithelial neoplasia grades 1 and 2: managed by watchful waiting. *J Low Genit Tract Dis*. 2011;15(4):268-275.
- Hui SK, Miller SM, Wen KY, et al. Psychosocial barriers to follow-up adherence after an abnormal cervical cytology test result among low-income, inner-city women. *J Prim Care Community Health*. 2014;5(4):234-241.
- Katki HA, Schiffman M, Castle PE, et al. Five-year risk of CIN 3+ to guide the management of women aged 21 to 24 years. *J Low Genit Tract Dis*. 2013;17(5 Suppl 1):S64-S68.
- Kola S, Walsh JC. Dysplasia severity, but not experiences during colposcopy, predicts adherence to follow-up colposcopy. *Psychooncology*. 2012;21(3):291-296.
- Kola S, Walsh JC. Determinants of pre-procedural state anxiety and negative affect in first-time colposcopy patients: implications for intervention. *Eur J Cancer Care (Engl)*. 2012;21(4):469-476.
- Kola S, Walsh JC, Hughes BM, Howard S. Matching intra-procedural information with coping style reduces psychophysiological arousal in women undergoing colposcopy. *J Behav Med*. 2013;36(4):401-412.
- Kola S, Walsh JC, Hughes BM, Howard S. Attention focus, trait anxiety and pain perception in patients undergoing colposcopy. *Eur J Pain*. 2012;16(6):890-900.

- Korfage IJ, Van ballegooijen M, Huveneers H, Essink-bot ML. Anxiety and borderline Pap smear results. *Eur J Cancer*. 2010;46(1):134-141.
- Korfage IJ, Van ballegooijen M, Wauben B, Looman CW, Habbema JD, Essink-bot ML. Having a Pap smear, quality of life before and after cervical screening: a questionnaire study. *BJOG*. 2012;119(8):936-944.
- Lam JU, Rebolj M, Dugué PA, Bonde J, Von euler-chelpin M, Lynge E. Condom use in prevention of Human Papillomavirus infections and cervical neoplasia: systematic review of longitudinal studies. *J Med Screen*. 2014;21(1):38-50.
- Lehtinen M, Ault KA, Lyytikäinen E, et al. Chlamydia trachomatis infection and risk of cervical intraepithelial neoplasia. *Sex Transm Infect*. 2011;87(5):372-376.
- Lillie SE, Partin MR, Rice K, et al. *VA Evidence-based Synthesis Program Reports: The Effects of Shared Decision Making on Cancer Screening - A Systematic Review*. Washington (DC): Department of Veterans Affairs (US). 2014.
- Massad LS, Weber KM, Wilson TE, et al. Correlating knowledge of cervical cancer prevention and human papillomavirus with compliance after colposcopy referral. *J Low Genit Tract Dis*. 2012;16(2):98-105.
- McCreddie MR, Sharples KJ, Paul C, et al. Natural history of cervical neoplasia and risk of invasive cancer in women with cervical intraepithelial neoplasia 3: a retrospective cohort study. *Lancet Oncol*. 2008;9(5):425-434.
- McCreddie MR, Paul C, Sharples KJ, et al. Consequences in women of participating in a study of the natural history of cervical intraepithelial neoplasia 3. *Aust N Z J Obstet Gynaecol*. 2010;50(4):363-370.
- Melnikow J, Mcgahan C, Sawaya GF, Ehlen T, Coldman A. Cervical intraepithelial neoplasia outcomes after treatment: long-term follow-up from the British Columbia Cohort Study. *J Natl Cancer Inst*. 2009;101(10):721-728.
- Moscicki AB, Ma Y, Wibbelsman C, et al. Rate of and risks for regression of cervical intraepithelial neoplasia 2 in adolescents and young women. *Obstet Gynecol*. 2010;116(6):1373-1380.
- Munro A, Powell RG, Ccohen P, et al. Spontaneous regression of CIN2 in women aged 18-24 years: a retrospective study of a state-wide population in Western Australia. *Acta Obstet Gynecol Scand*. 2016;95(3):291-298.
- O'connor M, Costello L, Murphy J, et al. 'I don't care whether it's HPV or ABC, I just want to know if I have cancer.' Factors influencing women's emotional responses to undergoing human papillomavirus testing in routine management in cervical screening: a qualitative study. *BJOG*. 2014;121(11):1421-1429.
- Percac-lima S, Aldrich LS, Gamba GB, Bearse AM, Atlas SJ. Barriers to follow-up of an abnormal Pap smear in Latina women referred for colposcopy. *J Gen Intern Med*. 2010;25(11):1198-1204.
- Practice Bulletin No. 140: management of abnormal cervical cancer screening test results and cervical cancer precursors. *Obstet Gynecol*. 2013;122(6):1338-1367.
- Quill TE. Recognizing and adjusting to barriers in doctor-patient communication. *Ann Intern Med*. 1989;111(1):51-57.

- Repp KK, Nielson CM, Fu R, et al. Male human papillomavirus prevalence and association with condom use in Brazil, Mexico, and the United States. *J Infect Dis.* 2012;205(8):1287-1293.
- Sawaya GF, Smith-Mccune K. Cervical Cancer Screening. *Obstet Gynecol.* 2016;127(3):459-467.
- Sharp L, Cotton S, Cruickshank M, et al. Impact of post-colposcopy management on women's long-term worries: results from the UK population-based TOMBOLA trial. *J Fam Plann Reprod Health Care.* 2016;42(1):43-51.
- Sharp L, Cotton S, Little J, et al. Psychosocial impact of alternative management policies for low-grade cervical abnormalities: results from the TOMBOLA randomised controlled trial. *PLoS ONE.* 2013;8(12):e80092.
- Silins I, Ryd W, Strand A, et al. Chlamydia trachomatis infection and persistence of human papillomavirus. *Int J Cancer.* 2005;116(1):110-115.
- Spiegel D. A 43-Year-Old Woman Coping With Cancer. *JAMA.* 1999;282(4):371-378.
- Stinnett BA. Use of Psychosocial Effects of Abnormal Pap Smears Questionnaire (PEAPS-Q) in a community hospital colposcopy clinic. *J Low Genit Tract Dis.* 2000;4(1):34-39.
- Stinnett, BA, Kulberg H. Psychosocial distress and colposcopy. *J Low Genit Tract Dis.* 1999;3(1): 50.
- Szarewski A, Jarvis MJ, Sasieni P, et al. Effect of smoking cessation on cervical lesion size. *Lancet.* 1996;347(9006):941-3.
- Valdini A, Esielionis P. Measurement of colposcopy-associated distress using the psychosocial effects of having an abnormal pap smear-questionnaire in a Latina population. *J Low Genit Tract Dis.* 2004;8(1):25-32.
- Winer RL, Hughes JP, Feng Q, et al. Condom use and the risk of genital human papillomavirus infection in young women. *N Engl J Med.* 2006;354(25):2645-2654.